

CCU03A231WNIUX

indoor

> CONTATTACI

CLIMATE CONTROL SYSTEMS



The CCU series wall-mounted cooling units represent an ideal solution for cooling electrical panels in high external temperatures, isolating them from the surrounding environment. The range of cooling units meets different indoor and outdoor application needs, ensuring high technical and safety standards. In all models, the polyurethane gasket is laid by machine, significantly reducing installation times.

| Technical data | | |
|----------------------------|----------------------|------------|
| APPROVALS | | |
| Approvals | CE; UKCA | |
| PERFORMANCE | | |
| Cooling Capacity L35L35 | 325/355 1109/1211 | W BTU/h |
| Cooling Capacity L35L50 | 265/275 904/938 | W BTU/h |
| ELECTRICAL DATA | | |
| Rated Voltage | 230 | V a.c. |
| Rated Current | 1.3/1.5 | A |
| Rated Power L35L35 | 185/215 | W |
| Rated Power L35L50 | 215/265 | W |
| Frequency | 50/60 | Hz |
| Max Current | 9 | A |
| Fuse T | 2 | A |
| GENERIC DATA | | |
| Casing Material | Painted Steel | |
| RAL Number | 7035 | |
| Electrical Connection | Connector | |
| Refrigerant Number | R134a | |
| Refrigerant Charge | 130 | g |
| Maximum Allowable Pressure | HP 2.4/LP 0.6 | MPa |

Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla

CCU03A231WNIUX

indoor

> CONTATTACI

CLIMATE CONTROL SYSTEMS

| Technical data | | |
|------------------------------------|--------|----|
| ENVIRONMENTAL AND THERMAL DATA | | |
| Protection Degree Internal Circuit | IP54 | |
| Operating Temperature | 20÷50 | °C |
| | 68÷122 | °F |

Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla

CCU03A231WNIUX

indoor

> CONTATTACI

CLIMATE CONTROL SYSTEMS





Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla

CCU03A231WNIUX

indoor

> CONTATTACI

Cooling Capacity vs Temperature



Cooling Capacity vs Temperature




Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla