#### CCU09A231RNIUX

indoor

> CONTATTACI

bordos



The CCU series roof-mounted cooling units represent an ideal solution for cooling battery electrical panels or when accessibility and lateral space are limited, ensuring high technical and safety standards. In all models, the polyurethane gasket is laid by machine, significantly reducing installation times.

Technical data				
APPROVALS				
Approvals	CE; UKCA			
PERFORMANCE				
Cooling Capacity L35L35	975/1075	W		
	3327/3668	BTU/h		
Cooling Capacity L35L50	795/815	W		
Cooling Capacity L35L50	2713/2781	BTU/h		
ELECTRICAL DATA				
Rated Voltage	230	V a.c.		
Rated Current	4.2/4.6	А		
Rated Power L35L35	445/525	W		
Rated Power L35L50	495/595	W		
Frequency	50/60	Hz		
Max Current	20	А		
Fuse T	8	А		
GENERIC DATA				
Casing Material	Painted Steel			
RAL Number	7035			
Electrical Connection	Connector			
Refrigerant Number	R513A			
Refrigerant Charge	210	g		
Maximum Allowable Pressure	HP 2.4/LP 0.6	MPa		

Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla



## CCU09A231RNIUX

indoor

Technical data

**Operating Temperature** 

Protection Degree Internal Circuit

> CONTATTACI

bordos

			1
_	_	_	
	°C		

°F

CLIMATE CONTROL SYSTEMS

Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla

IP54

20÷50

68÷122




# bordos

#### CCU09A231RNIUX

indoor

> CONTATTACI






Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla



## bordos

## CCU09A231RNIUX

indoor

> CONTATTACI




Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla

